



TYPICAL PROPERTIES

Colour	Red
Density, g.ml-3 @ 15°C	0.851
Flash Point, COC,	237°C
Pour Point	-51°C
Viscosity	
Kinematic @ 40°C	29 cSt

HyperDrive KXR

ATF Dexron VI LV

CODE: KXEMM30

Full synthetic ATF fluid Low Viscosity for high efficiency and fuel economy has advanced additive technologies to cover multi vehicle OEMs.

FEATURES / BENEFITS

- Offers excellent frictional stability, anti-shudder & anti-wear properties.
- Suitable for automatic transmissions and power steering systems for many European, American and Asian vehicles.

PERFORMANCE / SPECIFICATIONS

- GM Dexron VI
- Aisin Warner AW-1
- Honda DW-1
- Hyundai/Kia SP-IV, SPH-IV, SP-IV RR, NWS-9638
- JASO 1-A-LV
- JWS 3324
- Mitsubishi ATF-J2, SP-IV
- Nissan Matic S
- Toyota WS (JWS 3324)
- Audi G 055 005, G 055 162, G 060 162 A2
- BMW 83 22 0 142 516, 83 22 2 152 426
- MB 236.12, 236.14, 236.15
- Saab 93 165 147
- VW G 055 540 A2, G 055 005, G 055 162, G 060 162 A2

AVAILABILITY



① Values are typical of current production, and whilst future production will meet these specifications, some variation in typical data may occur.

Version Date:
8-04-2020

HyperDrive Lubricants Limited Heming Road, Redditch, B98 0EA
Tel: 01527 502 252 Fax: 01527 502 253 hyperdrivelubricants.com